Thunderbird Email Setup



Right click on your email account that is listed along the left side of the screen and click on Settings.

🖂 sgray@jcwifi.com	Account Settin	ngs - <sgrav@icwifi.com< th=""><th>15</th></sgrav@icwifi.com<>	15	
Server Settings Copies & Folders Composition & Addressing Junk Settings Disk Space Return Receipts Security Iccal Folders Junk Settings Disk Space Motion Outgoing Server (SMTP)	Account Name: sgray@jcwifi.com Default Identity Each account has an identity, which is the information that other people see when they read your messages.			
	<u>Y</u> our Name: <u>E</u> mail Address: Reply-to Addre <u>s</u> s:	Sara sgray@jcwifi.com Recipients will reply to this	other address	
	Organization: Signature text: Use HTML (e.g., bold)			
	Attach the sign	nature from a file instead (tex	t, HTML, or image):	
	Attach the sign	nature from a file instead (tex	t, HTML, or image): <u>C</u> hoose	
	☐ Aṯtach the sig ☐ Aṯtach the sig ☐ Attach my <u>v</u> Ca O <u>u</u> tgoing Server (S	nature from a file instead (tex ard to messages SMTP): sgray@jcwifi.com -	t, HTML, or image): <u>Choose</u> E <u>d</u> it Card mail.jcwifi.com (Defa	
	☐ Aṯtach the sign ☐ Aṯtach the yrCa ☐ Attach my rCa Outgoing Server (\$	nature from a file instead (tex ard to messages 5MTP): sgray@jcwifi.com -	t, HTML, or image): <u>C</u> hoose Edit Card mail.jcwifi.com (Defa <u>M</u> anage Identities	

On the left side, click on Server Settings.



Change the following information

- 1. Port: 995
- 2. Connection security: SSL/TLS

Then click on Outgoing Server (SMTP) on the left side.

Sqray@jcwincom	Outgoing Server (S	MTP) Settings		
Server Settings Copies & Folders Composition & Addressing	When managing your identities you can use a server from this list by selecting it as the Outgoing Server (SMTP), or you can use the default server from this list by selecting "Use Default Server".			
Junk Settings Disk Space	sgray@jcwifi.com - mai	Ljcwifi.com (Default)	A <u>d</u> d	
Return Receipts Security			<u>E</u> dit	
Local Folders Junk Settings			Re <u>m</u> ove	
Disk Space	1		Set Default	
	Details of selected serve			
	Details of selected serve	r:		
	Details of selected serve Description: Server Name:	r: <not specified=""> mail.jcwifi.com</not>		
	Details of selected server Description: Server Name: Port:	r: <not specified=""> mail.jcwifi.com 465</not>		
	Details of selected server Description: Server Name: Port: User Name:	r: <not specified=""> mail.jcwifi.com 465 sgray@jcwifi.com</not>		
	Details of selected serve Description: Server Name: Port: User Name: Authentication method: Consortion Serveria	r: <not specified=""> mail.jcwifi.com 465 sgray@jcwifi.com Encrypted password cor cor c</not>		
	Details of selected serve Description: Server Name: Port: User Name: Authentication method: Connection Security:	r: <not specified=""> mail.jcwifi.com 465 sgray@jcwifi.com Encrypted password SSL/TLS</not>		

Click on the outgoing mail server and then click on Edit.

✓ sgray@jcwifi.com Server Settings Copies & Folders Composition & Addressing Junk Settings Disk Space		Outgoing Server (SMTP) Settings				
		When managing your identities you can use a server from this list by selecting it as the Outgoing Server (SMTP), or you can use the default serve from this list by selecting "Use Default Server".				
		sgray@jcwi	A <u>d</u> d			
Return Receipts				Edit		
Security S	MTP Server	901 	e ×	L		
Local Folders	Settings			Remove		
Dick Space	Description	n: Jewifi		Set Defaul		
Outgoing Sen	<u>S</u> erver Nan <u>P</u> ort:	ne: mail.jcwi 465	fi.com Default: 465			
	Security and Authentication					
	Authentica	tion method:	Encrypted password V			
	User Na <u>m</u> e:		sgray@jcwifi.com			
			OK Cancel			
		11 M. 14	User Name: sgray@jcwifi.com			
	Authentication method: Encrypted password					
		Connect	ion Security: SSL/TLS			

Change the following information

- 1. Port: 465
- 2. Connection Security: SSL/TLS

Then Click OK.



Click on "Confirm Security Exception" to accept the certificate.



Click OK to save all the changes and exit back to the main screen.